

VEARS PIN MAKER IN SPAIN SINCE 1924

Folch

Metalürgica Folch S.L. Avda Sant Jordi nº 6 Montbrio del Camp. 43340

Introduction



90th years making quality pins for four generations

In 1924 METALÚRGICA FOLCH, S.L. began production of quality pins, at Montbrió del Camp. Initially only making Brass pins but gradually the scope of production grew with the addition of pins made from Mild Steel, Hard Steel and Stainless Steel. Our close working relationship with the clothing industry later led to the development of machines to make a range of Crossover clips and safety pins. As the last pin maker in Spain and one of the oldest European pin makers we are rightly proud of our position as a World leader in our field, our company aim is to continue as quality pin manufacturers for the benefit of future generations.

We have confidence in the ongoing quality of our products and service:

- By selecting only the best quality raw materials.
- By close attention to Quality Control at all stages of production, heat treatment, metal finishing and packing.
- The development of our own machines, taking advantage of the latest technologies with materials and process.
- Maximum use of automatic processes to maintain costs and therefore to be competitive in the market place.
- We respect and protect the environment by recycling and reducing waste generated by our processes.
- And, of course, our experienced and dedicated work force.

Our product range is constantly evolving, based on both innovation and creativity. We aim to work closely with our customers so we can adapt quickly to their needs and changes in the various markets.

We encourage the creativity of children from 6 to 99 years young with crafts using pins and safety pins, it is our challenge to continue the development of new creative ideas for our customers.

We would like to take this opportunity to say a big thank you to all our customers, employees, partners and suppliers who have shared this 90 year journey with us.



Pedro Folch Torné




Joan Folch Badia




Jordi Folch Martí



Josep M. Folch Gil





Josep Ma Folch, currently the General Manager of Metalurgica Folch S.L. A qualified Industrial Engineer after graduating from the Polytechnic University of Catalonia. Joined the company in 1980 as Sales Manager and gradually gained valuable experience in all aspects of the company, its products and customers.

The business principles established by his father Jordi Folch Marti will always form the foundations of Metalurgica Folch S.L whilst allowing Josep Ma Folch to continue to seek improvements in all areas to ensure that the company adapts to the ever changing world that surrounds itself and its customers. A perfect example of this process of change would be the creation of the Pins Art range, adapting the pin making expertise of the company to the growing demand for creative crafts.


History catalogues


























<u>Index</u>

Introduction	P. 1	1
Brass pins	P. 2	20
Color Dome® pins	P. 2	29
Coloured wires	P. 4	1
Crossover clips	P. 2	26
Dipped head pins	P. 1	7
Display stand	P. 4	13
Eye bolt / pins	P. 2	25
Folch brands		7
Glass head pins	P. 2	<u>'</u> 4
Hardened & Tempered steel pins	P. 1	2
Mild steel pins	P. 1	8.
Our History	P. 4	16
Our labels	P. 1	١0
Pin sundries	P. 3	30
Pins Art®	P. 3	8
Pins guide	P. 9	9
Plastic head pins	P. 2	22
Safety pins	P. 3	32
Safety pins - Special use	P. 3	34
Sequins	P. 4	10
Sewing machine needles	P. 3	37
Sewing sundries	P. 3	31
Shirtmakers sundries	P. 2	28
Special production	P. 4	14
Stainless steel pins	P. 1	6۔
Thimbles	P. 3	36
Website	P. 4	15
Wiggle eyes	P. 4	12

I Pins



eat. sleep. pin.

Folch brands



Brand registered on 27th May 1994 folch.com



Brand registered on 22th November 1926 jabalipins.com



Brand registered on 2th April 1928



Brand registered on 17th May 2002 hobby-creative.com



Brand registered on 6th May 2010 pinsart.com

Other registered brands: Color Dome®, Clipin®, Pinstown®

folch.com
Pins maker since 1924

Pins guide

THE SEVEN WONDERS ABOUT STRAIGHT PINS How to identify a pin?

There are 7 parameters to consider:

1. Wire

Wire is the material from which all pins are manufactured; this wire may be made from several different alloys. The three main materials used are Steel, Stainless Steel and Brass, each Alloy has its own unique qualities as outlined below. The wire strength depends on its chemical composition, manufacturing process and final diameter of the finished product.

Steel (A) An alloy of Iron and Carbon, generally the higher the carbon percentage the harder the Steel, pins made from this high Carbon Steel are heat treated in specially developed furnaces to attain the optimum degree of flex but they will eventually break if the angle of bend is excessive. These are the type of pin favoured by Dressmakers.

Mild steel (F) This Steel has a lower Carbon percentage, these are the type of pin used for general sewing, stationery and window dressing.

Stainless steel (AI) (AISI304 quality) This wire is probably the best material of all because of its bright appearance, high corrosion resistance and good bending resistance, these qualities will remain for the life of the pin in most environments. The strength of this wire allows the production of pins with fine diameters.

Brass (LL) An alloy of Copper and Zinc in various proportions, we use the higher quality Brass which is 67% Copper and 37% Zinc. It is rustproof, and its natural colour is like Yellow Gold and for this reason is specially used for pins requiring a golden finish.

2. Diameter

This is one of the most important parameters; some of the other parameters are related to this one like the strength which is linearly direct. As a general rule, the finer the material the thinner the pin to be used.

Our minimum pin diameter is 0,40 mm and the maximum is 1,20 mm.

3. Length

This is generally a personal choice for ease of use, you will find our catalogue lists pins in the order of length.

4. Point

This is a critical property of any straight pin. All our pins are ground and polished to a smooth point. Depending on the pin type we can offer pins with a short point, blunt point, standard point or progressive point.

The pin points are approximately three times the pins diameter.

5. Head

Four parameters are required to define a pin head: shape, material, size (diameter) and colour.

Shape: Pins can have flat, dome, ball, flower or dipped (pear) shaped heads.

Material: Either same as the pin stem, glass or plastic (ABS), which may be nylon, polythene or polyester.

Size: This depends mainly on the wire diameter, there is a relationship between the two where usually the head diameter = 2,5 x the wire diameter.

Colour: We invented the Color Dome [®]pins that have solid coloured heads in a range of 12 colours, our Dipped head, Glass and Plastic head pins are also available in single colours.

6. Finish

A good finish to a pin helps determine the smoothness of the surface and corrosion resistance of pins:

Nickel plate (N): This finish is a bright protective coating giving a high resistance to corrosion for the pin. Nickel plated Brass pins have a higher level of corrosion resistance than pins made from Steel.

Inox finish (I): A mirror bright polished finish using a proprietary process which is only used on Stainless Steel pins giving the highest resistance to the corrosion.

Gilt finish (D): A chemical polish that gives the Brass a bright, smooth Yellow finish. This has only provides a limited additional resistance to corrosion.

Special finish: Old Gold, Old Copper or Nickel free are finishes that we can offer depending on the pin.

7. Bending resistance

This bend resistance is illustrated on our new range of labels, it is an indication of the pins ability to recover its straight shape after being subjected to bend or pressure. This property depends on some of the other 6 wonders, such as the wire material, wire strength, diameter, length and surface treatment given.

Our labels

We have colour coded our box labels to identify the material from which they are made:



Blue: Hardened & Tempered pins



Yellow: Brass pins



Light blue: Mild steel pins



Purple: Stainless steel pins

The labels confirm the box contents, suggested use in a number of languages, a drawing showing both the length and diameter and its unique EAN barcode.

The packaging



Our octagonal hanging box is a proven best selling presentation.

A practical plastic box with hook, reusable and stackable. With the transparent plastic the products are always visible and protected from dirt.

This best selling presentation could be customized with your own brand, please contact us for more information.

Please note: Some packs in the catalogue are illustrated in a reduced size. Due to technical constraints some colours illustrated in this catalogue may vary slightly to the actual products, we are constantly looking to use any technical developments to improve our products so again some variations with products may occur. All sizes can have a variation of ±0,1 mm (length, stem diameter or head diameter).

Hardened & Tempered steel pins



Stainless steel pins



Brass pins



Mild steel pins



AAC486529

These products already have the colour coded labels, we are in the process of updating our other pins in plastic boxes to these new labels.

	ed & Tem				nakina				
Length	Diameter	y, ures Nº	Head Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
17 mm	0,45 mm		1,20 mm				Н	20 B/400 u	AAN174525
	37 mm AAN1745	I	, -	Nickeled	Lace making Duchesse		F	5 B/100 g	AAN174503
26 mm	0,65 mm		1,55 mm				Α	B/ kg	AAN266500
Į	26 mm AAN2665	0.65 mm		Nickeled	Haute couture		Н	20 B/400 u	AAN266525
30 mm	0,50 mm	6EE	1,4 mm				С	2 B/500 g	AAN305001
							D	4 B/250 g	AAN305002
		1921					F	10 B/100 g	AAN305003
-	30 mm	- 8		Nickeled	Haute couture	Superfine	Н	20 B/50 g	AAN305007
-	AAN3050						Н	5 B/50 g	AAN3050075
							Н	20 B/25 g	AAN305006
							Н	5 B/25 g	AAN3050065
30 mm	0,60 mm	6E	1,50 mm				Α	B/ kg	AAN606000
							В	2 B/500 g	AAN606001
							С	2 B/500 g	AAN306001
							D	4 B/250 g	AAN306002
							E	4 B/250 g	AAN306009
	30 mm	mm					F	10 B/100 g	AAN306003
-	30 mm	- 8,		Nickeled	Sewing		Н	20 B/50 g	AAN306007
	AAN3060	•					G	20 B/50 g	AAN306008
							Н	5 B/50 g	AAN3060075
							Н	20 B/25 g	AAN306006
							Н	5 B/25 g	AAN3060065
							ı	40 B/25 g	AAN606006
							ı	20 B/200 u	AAN606016
30 mm	0,65 mm	6	1,55 mm				Α	B/ kg	AAN606500
							В	2 B/500 g	AAN606501
4	30 mm	- E		Nickeled	Sewing		Н	20 B/50 g	AAN306507
1	AAN3065	- 1			, and the second		I	40 B/25 g	AAN606506
	100000000000000000000000000000000000000	1					I	20 B/200 u	AAN606516
							J	20 B/100 u	AAN606505
32 mm	0,55 mm	7EE	1,45 mm				Α	B/ kg	AAN325500
E	32 mm	8.8		Nickeled	Haute couture	Superfine	H	5 B/50 g	AAN3255075
	AAN3255	4.55	ŧ				H	5 B/25 g	AAN3255065
			T.				Н	20 B/400 u	AAN325525
32 mm	0,60 mm	7E	1,50 mm				Α	B/ kg	AAN706000
		£		Michalad	Carrière :		В	2 B/500 g	AAN706001
-	32 mm	- mm 0900	è	Nickeled	Sewing		D	4 B/250 g	AAN326002
1	AAN3260						G	20 B/50 g	AAN326008
							Н	20 B/25 g	AAN326006
34 mm	0,60 mm	8E	1,50 mm				Α _	B/ kg	AAN806000
-	34 mm		š.	Nickeled	Sewing		В	2 B/500 g	AAN806001
	AAN3460		3				С	2 B/500 g	AAN346001
	AMIN3400		1				D	4 B/250 g	AAN346002


Packaging of Hardened & Tempered steel pins



Length	Diameter	Nº	Head Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
34 mm	0,60 mm	8E	1,50 mm				E	4 B/250 g	AAN346009
							F	10 B/100 g	AAN346003
		E	10				G	20 B/50 g	AAN346008
-	34 mm	1 000		Nickeled	Sewing		Н	20 B/50 g	AAN346007
-	AAN3460						Н	20 B/25 g	AAN346006
			1				I	40 B/25 g	AAN806006
							I	20 B/200 u	AAN806016
34 mm	0,65 mm	8	1,55 mm				Α	B/ kg	AAN806500
							В	2 B/500 g	AAN806501
			40				Е	4 B/250 g	AAN346502
<u> </u>	34 mm	- 5		Nickeled	Sewing		Н	20 B/50 g	AAN346507
	AAN3465	- 2	1				I	40 B/25 g	AAN806506
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		T				I	20 B/200 u	AAN806516
							J	20 B/100 u	AAN806505
36 mm	0,70 mm	9	1,65 mm				Α	B/ kg	AAN907000
		121	100				В	2 B/500 g	AAN907001
-	36 mm	- 0.0	1	Nickeled	Sewing		E	4 B/250 g	AAN367002
	AAN3670		Ŧ				Н	20 B/50 g	AAN367007
			1				Н	40 B/25 g	AAN367006
37 mm	0,65 mm		1,55 mm				Н	20 B/200 u	AAN376532
-	37 mm	-	0.055 mm	Nickeled	Lace making				
	AAN3765		Ť						
40 mm	0,70 mm	11	1,65 mm				Α	B/ kg	AAN117000
			٤				В	2 B/500 g	AAN117001
-	40 mm	-	- 83.	Nickeled	Lace making		E		AAN407002
-	AAN4070		- 1				Н	20 B/50 g	AAN407007
			64D				Н	20 B/25 g	AAN407006
43 mm	0,60 mm		1,50 mm				F	10 B/100 g	AAN436003
_	43 mm		- 97	Nickeled	Lace making		Н	20 B/400 u	AAN436025
45 mm	0,65 mm		1,55 mm				F	10 B/100 g	AAN456503
	F1000011111		01044				Н	20 B/400 u	AAN456525
•	45 mm		- 888 ·	Nickeled	Lace making		Н		AAN456505
	AAN4565		•						

Hardened and Tempered pins provide the ideal degree of flex, please note that pins may break if the bending angle exceeds 45°





Packaging of Hardened & Tempered steel pins



Stainless steel pins

Ideal for shirt packing presentation, clothing manufacturing with delicate fabrics, lace making, entomology, taxidermy and fishing. Quality: Austenitic Stainless steel AISI304

taxidermy an	d fishing. Qua		enitic Stainle	ess steel AISI304				
Length	Diameter	Head Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
18 mm	0,52 mm	1,40 mm				С	20 B/400 u	AIN185225
	661000 IV	E	Stainless	Lace making		С	5 B/400 u	AIN185205
	18 mm	4	steel	Haute couture				
	AIN1852	1						
22 mm	0,59 mm	1,50 mm				Α	B/ kg	AIN225900
	22 mm	19.00 E	Stainless	Shirtmakers		С	20 B/400 u	AIN225925
-	AIN2259	1	steel	Haute couture				
00	ADDIANT SHEARS	1 00				•	00 B/400 H	A IN 100 400 F
26 mm	0,40 mm	1,00 mm	Otalalaaa	Lasa malibas		С	20 B/400 u	AIN264025
-	26 mm	£ .	Stainless steel	Lace making Haute couture				
-	AIN2640							
26 mm	0,53 mm	1,40 mm				С	20 B/400 u	AIN265325
in the	26 mm	E	Stainless	Lace making		С	5 B/400 u	AIN265305
-	-	ž,	steel	Fishing jig: Squid				
	AIN2653	†						
26 mm	0,59 mm	1,50 mm				Α	B/ kg	AIN265900
E	26 mm	Nun Nun	Stainless	Shirtmakers		С	20 B/400 u	AIN265925
	AIN2659	3	steel	Haute couture				
		T						
30 mm	0,59 mm	1,50 mm				A	B/ kg	AIN305900
	30 mm	0.59 mm	Stainless steel	Lace making Fishing jig: Squid		A	B/5000 u	AIN305922
	MAINOCO	1	31661	i isining jig. Oquid		В	B/1000 u 20 B/400 u	AIN305920
32 mm	0,40 mm	1,00 mm				C	20 B/400 u	AIN305925 AIN324032
32 111111	0,40 11111	1,00 mm	Stainless	Haute couture		C	20 B/200 a	AIN324032
-	32 mm	Deg.	steel	Lace making Fishing jig: Squid				
-	AIN3240	•		rishing jig. Squid				
34 mm	0,52 mm	1,40 mm				Α	B/5000 u	AIN345222
	34 mm	0.52 mm	Stainless	Haute couture		В	B/1000 u	AIN345220
-		- 150 ·	steel	riaute couture		С	20 B/400 u	AIN345225
	AIN3452	Ť				С	5 B/400 u	AIN345205
38 mm	0,40 mm	1,00 mm		Haute couture		Α	B/5000 u	AIN384022
I Sec.	38 mm	E S	Stainless	Entomology		В	B/1000 u	AIN384020
	AIN3840	\$ <u> </u>	steel	Fishing jig: Squid		С	20 B/400 u	AIN384025
00.	10.000000000000000000000000000000000000	1 50				C	5 B/400 u B/5000 u	AIN384005
38 mm	0,59 mm	1,50 mm	Ctoirlass	Haute couture		A	B/5000 u B/1000 u	AIN385922 AIN385920
-	38 mm	- SS -	Stainless steel	Lace making		B C	20 B/400 u	AIN385920 AIN385925
,	AIN3859			Fishing jig		С	5 B/400 u	AIN385925 AIN385905
40 mm	0,59 mm	1,50 mm				A	B/5000 u	AIN405922
		8	Stainless	Haute couture		В	B/1000 u	AIN405920
-	40 mm	- S	steel	Lace making		С	20 B/200 u	AIN405932
7	AIN4059	•						

Dipped head pins Ideal for shirt packing presentation, lace making and fishing. Quality: Austenitic Stainless steel AISI304 Head Head **Diameter Application** Description **Packaging** Unit of sale Reference Length Diam. Colour B/10000 u 0,54 mm AIP265423 26 mm 1,60 mm Silver Haute couture 20 B/200 u C AIP265432 26 mm Shirtmakers Α B/10000 u APD265423 Lace making Gold AIP2654 20 B/200 u С APD265432 B/10000 u 26 mm 0,59 mm 1,75 mm AIP265923 Silver C 20 B/200 u AIP265932 20 B/200 u Assorted C APS265932 B/10000 u APR265923 Α Red C 20 B/200 u APR265932 B/10000 u APB265923 White 26 mm Haute couture C 20 B/200 u APB265932 Shirtmakers B/10000 u APV265923 AIP2659 Lace making Green 20 B/200 u C APV265932 B/10000 u APY265923 Α Yellow 20 B/200 u C APY265932 Fuchsia С 20 B/200 u APF265932 B/10000 u APD265923 Gold 20 B/200 u C APD265932 B/10000 u APK265923 Black Fishing jig C 20 B/200 u APK265932 B/10000 u 30 mm 0,59 mm 1,75 mm Silver Α AIP305923 20 B/200 u APS305932 Assorted Hautre couture C 30 mm Lace making 20 B/200 u Red C APR305932 AP\$3059 20 B/200 u White C APB305932 B/10000 u 0,59 mm AIP345923 34 mm 1,75 mm Α 20 B/200 u C AIP345932 Haute couture 34 mm Silver **Shirtmakers** AIP3459 Looking for a specific colour? Please contact us for more information.

Packaging Stainless Steel and Dipped head pins



			Head		orist, modeling, c				
Length	Diameter	Nº	Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
10 mm	0,65 mm	3/0	1,75 mm	Nickeled			F		AFN106505
-	10 mm - 2			Brassed	Modelling Sequip ort		F	5 B/1000 u	AFD106505
-	AFD1065				Sequin art				
13 mm	0,65 mm		1,75 mm				F	5 B/1000 u	AFN136505
10 111111	13 mm	e	1,70 11111		Appliqué		•	3 B/ 1000 u	711 14100000
-		290 mm		Nickeled	Sequin art				
	/R196	i d							
16 mm	0,65 mm	4	1,75 mm		Appliqué		F	5 B/1000 u	AFN166505
-	16 mm _ 3			Nickeled	Modeling				
-	AFN1665	ŀ			Florist				
18 mm	0,65 mm	4 1/2	1,75 mm				F	5 B/1000 u	AFN186505
1.00	10 mm .	:		Nickeled	Appliqué Modeling				
_		1		Mickeleu	Florist				
	AFN1865	(1)					_		
18 mm	0,65 mm	4 1/2	1,75 mm				F	5 B/1000 u	KID186505
-	të mm -	5 ·		Nickeled	Appliqué	Blunt point			
-	KID1865	1							
20 mm	0,70 mm	8	1,65 mm				Α	B/ kg	AFN087000
				Nickeled	Dressmaking				
-	20 mm - E AFN2070			Nickelea	Diessinaking				
26 mm	0,70 mm	14	1,65 mm				Α	B/ kg	AFN147000
	25 mm . 2			Nickeled	Dressmaking		В	2 B/500 g	AFN147001
-		•		MICKEIGU	Diessinaking		E	10 B/100 g	AFN267003
	AFN2670	f					F	5 B/50 g	AFN267005
28 mm	0,70 mm	16	1,65 mm				A	B/ kg	AFN167000
-	28 mm	E S		Nickeled	Dressmaking		B C	2 B/500 g 4 B/250 g	AFN167001 AFN167002
-	AFN2870	1					E	4 B/230 g	AFN167002 AFN167003
30 mm	0,80 mm	18	1,70 mm				Α	B/ kg	AFN188000
	188	93	, -		\\/:		В	2 B/500 g	AFN188001
-	30 mm	- 8		Nickeled	Window dressing Stationery		С	4 B/250 g	AFN188002
33	AFN3080				,		E	10 B/100 g	AFN308003
00	0.00	405	4.00				F	5 B/50 g	AFN308005
30 mm	0,90 mm	18E	1,90 mm				A F	B/ kg 5 B/50 g	AFN189000 AFN309005
-	30 mm	80		Nickeled	Window dressing			5 Б/50 g	71 14309003
	AFN3090	1							
32 mm	0,70 mm	22E	1,65 mm				Α	B/ kg	AFN227000
70.	32 mm	M M M		Nickeled	Sewing		Е	10 B/100 g	AFN327003
-	AAN3270	8			.9				
22		00	1.00 ***				A .	D/Jea	A ENIGODO
32 mm	0,90 mm	22	1,90 mm				A B	B/ kg	AFN229000
	32 mm	Ē.		Nickeled	Window dressing		С	2 B/500 g 4 B/250 g	AFN229001 AFN229002
-	AFN3290	8		HOROIGU	Williad Walessing		E	4 B/230 g	AFN329003
,		Τ.					F	5 B/50 g	AFN329005

Length	Diameter	Nº	Head Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
34 mm	0,70 mm	26E	1,65 mm				Α	B/ kg	AFN267000
	34 mm	E		Nickeled	Sewing		D	B/250 g	AFN347096
- A	FN3470	es.		Nickeled	Sewing				
34 mm	0,90 mm	26	1,90 mm				Α	B/ kg	AFN269000
		1949					В	2 B/500 g	AFN269001
-	34 mm	8.		Nickeled	Window dressing		С	4 B/250 g	AFN269002
A	FN3490						E	10 B/100 g	AFN349003
							F	5 B/50 g	AFN349005
36 mm	0,90 mm	30	1,90 mm				Α	B/ kg	AFN309000
	128						В	2 B/500 g	AFN309001
-	36 mm	- 30		Nickeled	Window dressing		С	4 B/250 g	AFN309002
*	FN3690	1					E	10 B/100 g	AFN369003
87							F	5 B/50 g	AFN369005
38 mm	1,10 mm	32	2,10 mm				Α	B/ kg	AFN381100
<u> </u>	38 mm AFN3811	11000		Nickeled					
42 mm	1,10 mm	3	1,85 mm				Α	B/ kg	ESF311000
		3	E				В	2 B/500 g	ESF311001
(20)	42 mm		W 10	Nickeled	Window dressing	Bank pins	С	4 B/250 g	ESF311002
-			1				E	10 B/100 g	AFN421003
	AFN4211		A.				F	5 B/50 g	AFN421105
50 mm	1,20 mm	5	2,10 mm				Α	B/ kg	ESF512000
							В	2 B/500 g	ESF512001
	50 mm		1	Nickeled	Window dressing Taxidermy	Bank pins	С	4 B/250 g	ESF512002
	AFN5120				Taxidentiy		Е	10 B/100 g	AFN501203
	A1113120		. T.				F	5 B/50 g	AFN501205
80 mm	1,20 mm	8	Ø				G	B/1000 u	PUAS8
: 	80 mm		- S	Nickeled	Lace making	Pattern pick	Н	B/100 u	PUAS805
	PUA 8								



F

G

E

Н

Length	Diameter	Nº	Head Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
10 mm	0,55 mm	3/0	1,45 mm	Polished	Modeling Lace making Appliqué		С	20 B/800 u	ALD105525
10 mm	0,60 mm	3/0	1,70 mm	Nickeled			Α	B/ kg	ALN036000
	ALDICOC			Polished	Modeling		С	5 B/1000 u	ALP106005
12 mm	0,60 mm		1,60 mm	Nickeled			Α	B/ kg	ALN126000
	12.mm = 12.mm = 12.mm			Polished	Modeling		С	5 B/1000 u	ALP126005
14 mm	0,60 mm	2/0	1,60 mm	Nickeled			Α	B/ kg	ALN026000
	Hann (Mickeled	Appliqué		В	4 B/250 g	ALN026002
	K2160			Polished	Ribbons		С	5 B/1000 u	ALP146005
16 mm	0,63 mm	0	1,70 mm	Nickeled			Α	B/ kg	ALN016300
1.10-5	16 mm			Mickeled	Appliqué		В	4 B/250 g	ALN016302
	ALDI663			Polished	Ribbons		С	5 B/1000 u	ALP166305
18 mm	0,65 mm	1/2	1,55 mm				Α	B/ kg	ALN056500
40,000	18 mm			Nickeled	Appliqué		В	4 B/250 g	ALN056502
							С	20 B/400 u	ALN186525
20	ALD1865		4 ==	Polished			С	20 B/400 u	ALD186525
20 mm	0,65 mm	1	1,55 mm	Nickeled	Shirtmakers		A	B/ kg	ALN106500
20 mm	0,70 mm	1	1,70 mm				Α	B/ kg	ALN107000
Ξ	20 mm 1 2 1 AEN2070			Nickeled	Shirtmakers		В	4 B/250 g	ALN107002
22 mm	0,65 mm	1	1,55 mm				Α	B/ kg	ALN226500
-	22 mm = \$ ALN2200			Nickeled	Shirtmakers				
22 mm	0,70 mm	1	1,70 mm				Α	B/ kg	ALN157000
-	22 mm 5 5 ALN2270			Nickeled	Shirtmakers		В	4 B/250 g	ALN157002
24 mm	0,65 mm	2	1,55 mm				Α	B/ kg	ALN206500
-	24 mm = 1	1		Nickeled	Shirtmakers				
24 mm	0,70 mm	2	1,60 mm				Α	B/ kg	ALN207000
La	24 mm			Nickeled	Shirtmakers		В	4 B/250 g	ALN207002
-	ALN2970	1							

Length	Diameter	Nº	Head Diam.	Finish	Application	Description	Packaging	Unit of sale	Reference
26 mm	0,65 mm	2 1/2	1,55 mm	Nickeled			Α	B/ kg	ALN266500
	26 mm	:		Mickeleu	Shirtmakers		С	20 B/400 u	ALN266525
-	ALN2665	21		Polished	Ormanacis		С	20 B/400 u	ALD266525
	ALIN2005	111							
26 mm	0,70 mm	2 2/1	1,70 mm				Α	B/ kg	ALN257000
120	26 mm	į		Nickeled	Shirtmakers		В	4 B/250 g	ALN257002
	ALN2670	31							
28 mm	0,75 mm	3	1,60 mm				Α	B/ kg	ALN307500
	94600000			Nickeled			В	4 B/250 g	ALN307502
-	28 mm -	255		Nickelea					
50	ALN2875	•							
30 mm	0,80 mm	4	1,80 mm				Α	B/ kg	ALN408000
20	30 mm	uu O		Nickeled			В	4 B/250 g	ALN408002
-	ALN3080	31					С	20 B/400 u	ALN308025
		-3						5//	
32 mm	0,80 mm	5	1,80 mm				A	B/ kg	ALN508000
-	32 mm	- 25		Nickeled			В	4 B/250 g	ALN508002
-	ALN3280	-							
34 mm	0,90 mm	6	1,70 mm				Α	B/ kg	ALN609000
0 4 111111	34 mm	200.00	1,70 111111				В	4 B/250 g	ALN609002
-	34 mm	- 88		Nickeled			_	, , , , ,	71211000002
2	ALN3490	4							
36 mm	0,90 mm	7	2,00 mm				Α	B/ kg	ALN709000
Ti-	36 mm	92	1	Nickeled					
-		- 88	İ	Mickeleu					
57:	ALN3690		f						
42 mm	1,00 mm	10	2,00 mm				Α	B/ kg	ALN101000
-	42 mm		0.10 mm	Nickeled	Lace making		С	20 B/200 u	ALN421032
1	ALN4210	-	3		3				
	ALN4210		T						

We have a range of Brass wires suitable for specific applications, please contact us for more information.


Packaging of Brass pins



our for luo	c making, pe	tchwork and		wing, accoration	i and stationery.			
Length	Diameter	Head Diam.	Head Colour	Application	Description	Packaging	Unit of sale	Reference
18 mm	0,65 mm	4,00 mm	Assorted	Stationery	Nickeled mild steel pin. Plastic ABS	В	5 B/100 u	AAC186505
23 mm	1,12 mm	1.12mm	Transp.	Stationery	Mild steel pin	Н	5 B/25 u	APT231205
	0,59 mm	4,00 mm	Assorted	Stationery Lace making	Stainless steel pin. Plastic ABS	A B B C	B/ kg 20 B/100 u 5 B/100 u 40 B/40 u	AIC325900 AIC325929 AIC325905 AIC325911
			Black Assorted	·	Mills flam	C E D	40 B/40 u B/ 500 u B/ 1500 u	ACN325911 AIC32500 AIC321500
0	0,60 mm	4,00 mm	Assorted	Stationery Sewing	With flag Nickeled mild steel pin with pearl	H F C F	5 B/25 u B/ 10000 u 40 B/40 u B/ 10000 u	AIB325905 ACPS326023 ACPS32601 ACP326023
34 mm	0,65 mm	4,00 mm	White	Sewing	Nickeled mild steel pin. Plastic ABS	C A G	40 B/40 u B/ kg B/ 82 u Minimum	ACP326011 AAC346500 PINBAG006 500 bags
38 mm	0,60 mm 38 mm APL3860	4,00 mm	Silver Gold	Weddings and events Florist	Nickeled mild steel pin with pearl	B B	5 B/40 u 5 B/40 u	APL386005 AOR386005
44 mm	0,80 mm 44 mm	4,00 mm	White	Weddings and events Florist	Nickeled mild steel pin with heart	В	5 B/40 u	ACA448005
44 mm	0,80 mm 44 mm AEA4480	10,00 mm	White	Weddings and events Florist	Nickeled mild steel pin with leaf	В	5 B/40 u	AEA448005
48 mm	0,65 mm 48 mm AAC4865	8,00 mm	Assorted	Quilting	Nickeled mild steel pin. Plastic ABS	B B	20 B/100 u 5 B/50 u	AAC486529 AAC486505
	0,60 mm 50 mm	9,00 mm	Assorted Yellow	Quilting Patchwork	Nickeled mild steel pin with flower	B B	5 B/50 u 5 B/50 u	AFS506005 AFA506005
50 mm	0,70 mm	5,8 mm	Assorted	Weddings and events Patchwork	Nickeled mild steel pin with diamond	В	5 B/40 u	ADP507005

Length	Diameter	Head Diam.	Head Colour	Application	Description	Packaging	Unit of sale	Reference
50 mm	0,70 mm	8,5 mm		Maddan and	NP started as 21d	В	5 B/20 u	ADG507005
•	50 mm	→ 1	Assorted	Weddings and events	Nickeled mild steel pin with			
	***************************************	0.70 mm	710001100	Patchwork	diamond			
*	ADP5070	1						
51 mm	0,80 mm	6,30 mm	White		Nickeled mild	В	5 B/50 u	APB518005
(Production	51 mm		Black	Weddings and	steel pin with	В	5 B/50 u	APN518005
•	APN5180	0.80 mm	Assorted	events	pearl	В	5 B/50 u	APS518005
_	APN5180				·			
51 mm	0,80 mm	6,30 mm	White		Nickeled mild	В	5 B/40 u	ABL518005
L	51 mm	10	Black	Weddings and	steel pin with	В	5 B/40 u	ANL518005
	ASL5180	- 0.80 mm	Assorted	events	tear pearl	В	5 B/40 u	ASL518005
	ASES 160							
64 mm	0,80 mm	6,30 mm	White		Nickeled mild	В	5 B/20 u	APB648005
2500	64 mm	0.950	Black	Weddings and	steel pin with	В	5 B/20 u	APN648005
	discussions.	0.80 mm	Assorted	events	pearl	В	5 B/20 u	APS648005
** **********************************	APN6480	1.00			·			
64 mm	0,80 mm	6,30 mm	White		NE also la also de la Sal	В	5 B/20 u	ABL648005
	64 mm	.77	Black	Weddings and	Nickeled mild steel pin with	В	5 B/20 u	ANL648005
	CONTRACTOR OF THE PARTY OF THE	- 10,80 mm	Assorted	events	tear pearl	В	5 B/20 u	ASL648005
	ASL6480	- 65						

Packaging of Plastic head pins



	<u> </u>		Head	wing, decoration				
Length	Diameter	Head Diam.	Colour	Aplicacition	Description	Packaging	Unit of sale	Reference
30 mm	0,60 mm	3, 00 mm				В	20 B/100 u	ACV306029
	A702.50		Assorted	Lace making	Hardened &	В	5 B/100 u	ACV306005
ACV3060 0,80 mm		Assured	Sewing	Tempered pin				
35 mm	0,40 mm	2,75 mm			Hardened &	В	5 B/100 u	ACV354005
35 mm			Assorted Lace making Sewing	Tempered pin				
ACV3540 0.40 mm		Superfine						
	0 = 0						oo D/100	4.01/00=000
38 mm	0,70 mm	3,70 mm				B -	20 B/100 u	ACV387029
-	38 mm	4.1	Assorted	Lace making Quilting	Hardened & Tempered pin	В	5 B/100 u	ACV387005
•	ACV3870	0,70 mm						
48 mm	0,50 mm	3,20 mm				В	5 B/100 u	ACV485005
	48 mm	and The		Lace making	Hardened &			
	200,000	0.50 mm	Assorted	Quilting	Tempered pin Superfine			
	ACV4850	*			Сарстию			
49 mm	0,78 mm	4,20 mm				В	20 B/100 u	ACV497829
	49 mm		Assorted	Lace making	Hardened &	В	5 B/50 u	ACV497805

Packaging of Glass head pins





ye bolt /	/ Pins						
	deling, jewelry						
Length	Diameter	Finish	Application	Description	Packaging	Unit of sale	Reference
7 mm	0,70 mm				С	5 B/1000 u.	GLD077005
g I GLD0770		Polished	Modeling				
10 mm	0,70 mm				С	5 B/1000 u.	GLD107005
g I G	22		Modeling				
15 mm	0,70 mm		Modeling	Brass eye bolt	С	5 B/500 u.	GLD157005
E I	15 mm GLD1570	Polished					
15 mm	0,90 mm				С	5 B/500 u.	GLD159005
I G	15 mm (LD1590	Polished	Modeling				
60 mm	0,70 mm	Nickeled			Α	5 B/50 u.	GLP607005
	60 mm	Polished	Jewelry	Brass hooks	Α	5 B/50 u.	GLD607005
			ocweny	DIA33 HOOKS			
	GLD6070						
60 mm	0,60 mm	Polished			Α	5 B/50 u.	ELD606005
•	60 mm		Jewelry	Brass brad			
į.	ELD6060						

If you require another size or alternative finish please contact us for information.

Packaging of Eye bolts / pins



Crossove leal for shir	t packing presen	itation					
Length	Diameter	Finish	Pressure	Description	Packaging	Unit of sale	Reference
26 mm	1,10 mm				Α	B/3000 u.	CPC26300
1	26 mm	Nickeled	P2	Brass crossover clip			
34 mm	1,10 mm				Α	B/2000 u.	CPC200
-	34 mm	Nickeled	P2	Brass crossover clip			
		Nickelea					
34 mm	1,00 mm				Α	B/2000 u.	CPX200
-	34 mm	Stainless	P4	Austenitic AISI304 stainless steel crossover clip	В	5 B/50 u.	CPX05
		steel					
34 mm	1,10 mm				A	B/2000 u.	CLIP200
I	34 mm	Stainless	P5	Austenitic AISI304 stainless steel flat crossover clip			
		steel	F3				
34 mm	1,20 mm			Brass flat crossover	Α	B/2000 u.	CANON200
Ï	34 mm	Nickeled	De	clip	В	5 B/50 u.	CANON05
Ö==		Niekal Ess	P5	Brass flat crossover	Α	B/2000 u.	CAFRE200
OF		Nickel Free		clip			
50 mm	1,10 mm				Α	B/1000 u.	CPX500
l -	50 mm	Stainless	P5	Austenitic AISI304 stainless steel giant			
		steel	Fü	crossover clip			

Packaging of Crossover clips



OTHER APLICATIONS

Ideal for keep your fabrics in place without holes, stationery and Scrapbooking.





WE CAN CUSTOMIZE YOUR FLAT CROSSOVER CLIPS

Why not consider adding a personal touch to your shirts.


We could add your brand to the legs of our flat clips.

Maximum of 11 characters (inc spaces) can be stamped into each of the two legs.

Please contact us for further information.



SAN JORGE SHIRT CLIPS PRESSURE



The grip or holding pressure of our San Jorge Shirt Clips is measured at the point of contact between the two legs of each clip. The resulting pressure is dependent upon a number of factors:


- a)The material used, results are different between Brass and Stainless Steel clips.
- b) The shape of the clip at the point of contact, round and flat clips will give different results.
- c) Our in house Quality Control check our forming machines at regular intervals to ensure that results are consistent.

Our San Jorge Scale defines a range of pressures with P1 being at the lower end of the pressure scale through to P5 at the top of the scale.

The thickness of the shirt fabric and the fold pattern used will determine the amount of pressure required from the clip for both ease of placing the clip on the garment and the security of the clip in transit.

HOLDING PRESSURE	SAN JORGE SCALE	SAN JORGE SHIRT CLIPS	GRIP SCALE	
LOW	80-120	ROUND BRASS CLIPS	PI	
MEDIUM	125-155	ROUND BRASS ROUND STAINLESS STEEL	P2	
MEDIUM HIGH 160-195		BRASS FLAT ROUND STAINLESS STEEL	Р3	
HIGH	200- 225	BRASS FLAT ROUND STAINLESS STEEL & FLAT	P4	
VERY HIGH	230-300	BRASS FLAT FLAT STAINLESS STEEL	P5	

San Jorge pressure: MIN. 80 - MAX. 300




	ers sundri		othing presenta	tions.			
Length	Width	Nº	Colour	Description	Packaging	Unit of sale	Reference
35 mm		6			Α	B/5000 u	PINPL0622
1-	35 mm 📥		White	Plastic shirt clips			
	=~)						
40 mm					В	B/10000 u	PINPLAS23
-	40 mm	-	Transparent	Plastic shirt clips			
42 mm	NA 1462	4			Α	B/5000 u	PINPL0422
-	42 mm	\dashv	Transparent	Plastic shirt clips			
	V	_					
60 mm					Α	B/5000 u	PINPANT22
-	60 mm	-	Tuonananana	51			
		_	Transparent	Plastic trouser clips			
103 mm	0,25 mm				В	B/15000 u	PAL1344
E	\rightarrow ,		Transparent	Plastic shirt clips			
462 mm	1011111		·				
462 mm	0,30 mm				В	B/2000 u	TCS435
-	103 mm		Transparent	Collar supports			
i C			·				



Color Do	me® pin	s										
deal for crafts such as Pins Art® that use sequins, also for patchwork and applique.												
Length	Diameter	Head Diam.	Nº	Head Colour	Application	Description	Packaging	Unit of sale	Reference			
22 mm	0,65 mm	1,70 mm	00	Assorted			Α	5 B/250 u	AFD226505			
			06	Yellow			Α	5 B/250 u	AFD226565			
			04	Blue			Α	5 B/250 u	AFD226545			
			10	White			A	5 B/250 u	AFD2265105			
			12	Fuchsia			Α	5 B/250 u	AFD2265125			
			07	Burgundi			Α	5 B/250 u	AFD226575			
	E		09	Grey		Mild steel pins	Α	5 B/250 u	AFD226595			
22 m	mm 990		13	Brown	Crafts	wind otool pinio	Α	5 B/250 u	AFD2265135			
			80	Orange	Patchwork		Α	5 B/250 u	AFD226585			
AFD2	265		03	Black	Applique		Α	5 B/250 u	AFD226535			
			11	Gold	Pins Art®		Α	5 B/250 u	AFD2265115			
			01	Red			Α	5 B/250 u	AFD226515			
			02	Green			Α	5 B/250 u	AFD226525			
			05	Purple			Α	5 B/250 u	AFD226555			
32 mm	0,60 mm	1,50 mm	00	Assorted			Α	20 B/400 u	AAD326025			
32 mm § § §						Mild steel pins						

The coloured heads of the pins are resistant to ironing and sunlight.

Packaging of Color Dome® pins



Pin sundı	ries							
Length	Diameter	Nº	Finish	Application	Description	Packaging	Unit of sale	Reference
30 mm	0,80 mm					В	B/1000 u	APEZ3020
30 mm			Nickeled		Steel badge and			
· o	2 1				brooch pins			
						_	D/4000	A1 II/OO
33 mm	0,80 mm					В	B/1000 u	ALIK20
1-	33 mm		Nickeled	Soft Furnishing	Brass loose cover pins	С	B/200 u	ALIK46
					piris	Α	5 B/20 u	ALIK2005
						_	D/4000 ··	ATN/004000
38 mm	1,15 mm					В	B/1000 u	ATN381020
ดี	50 mm	-	Nickeled	Taxidermy Window dressing	Steel T pins	Α	5 B/40 u	ATN381005
 		-						
45 mm	2 20					E	B/1000 u	GANFE
45 11111	2,30 mm					A	5 B/25 u	GANFE05
1	45 mm		Zinc	Home decoration	Galvanized steel Curtain hangers	A	5 D/25 u	GANFEOS
(_				Curtain Harigoro			
45 mm	0,90 mm					D	B/5000 u	PPF450822
-	45 mm	-1	NU-L-L-	Min day day	Ota al Tialant ai	В	B/1000 u	PPF450820
			Nickeled	Window dressing	Steel Ticket pins	С	B/200 u	PPF450846
						A	5 B/50 u	PPF450805

Please contact us for confirmation of other sizes in this range.

Packaging of Pin sundries



Sewing sundires						
Length	Colour	Application	Description	Packaging	Unit of sale	Reference
8 .	Assorted	Sewing	Pin cushion	E	B/12 u	ALFSU6060
	White	Sewing	Magnetic pin cushion	Α	1 u	PINPOOL
	Assorted	Sewing	Sewing box		12 u	COS4688
	Assorted	Sewing	Big sewing box		6 u	COSC4420
150 cm	Yellow	Sewing	Tape measure	B C D	B/12 u B/12 u B/12 u	CIN900160 CIN900260 CIN900360
These tapes con be cus	stomised with your de	tails (minimum q	uatity 4800), please co	ntact us for m	ore information	



Packaging of Sewing sundries



Safety pins	nes, sno	orts events.	party events, jewelry,	crafts			
Length	Nº	Finish	Application	Description	Packaging	Unit of sale	Reference
19 mm	3/0		11		A	5 B/85 u	IPN198505
		Nickeled			В	B/1000 u	IPN191000
					E	B/10000 u	IPN031923
19 mm				0, 1	Α	5 B/85 u	IPD198505
2		Brassed	Labeling clothes	Steel	В	B/1000 u	IPD191000
					Е	B/10000 u	IPD031923
		Dlask			В	B/1000 u	IPB191000
		Black			E	B/10000 u	IPB031923
23 mm	2/0				Α	5 B/85 u	IPN238505
		Nickeled			В	B/1000 u	IPN231000
					Е	B/10000 u	IPN022323
					Α	5 B/85 u	IPD238505
23 mm	3	Brassed	Laboling clothos	Ctool	В	B/1000 u	IPD231000
Q 10	ì		Labeling clothes	Steel	Е	B/10000 u	IPD022323
100					Α	5 B/85 u	IPB238505
		Black			В	B/1000 u	IPB231000
					Е	B/10000 u	IPB022323
		Old gold			E	B/10000 u	IPOV22323
27 mm	0	Vallow			Α	5 B/50 u	HOPY2705
		Yellow	<u> </u>	Ctool	F	B/1000 u	IPCY012720
				Steel	Α	5 B/50 u	HOPBLU2705
		Blue			F	B/1000 u	IPCB012720
				Metalic colour	Α	5 C/50 u.	IPBLU2705
		White	\bigcirc		Α	5 B/50 u	HOPW2705
			vviile	\cup		F	B/1000 u
		Cream		Steel	Α	5 B/50 u	HOPCR2705
		Oreani			F	B/1000 u	IPCC012720
27 mm	-1	Brassed			Α	5 B/50 u	HOPID2705
Q)	Diassea			С	B/1000 u	IPD271000
		Fuchsia			Α	5 B/50 u	HOPFU2705
		i donoid			F	B/1000 u	IPCF012720
		Brown		Metalic colour	Α	5 C/50 u.	IPBR2705
2 A		Orange	Labeling clothes Bracelets		Α	5 B/50 u	HOPO2705
× \ \ / /		Orango	Little gifts		F	B/1000 u	IPCO012720
-	12	Black	Scrapbooking	Steel	Α	5 B/50 u	HOPIB2705
		2.00.1			С	B/1000 u	IPB271000
hooby Creenue	-				Α	5 B/50 u	HOPIN2705
6 111		Nickeled		Steel 2 gross	D	B/288 u	IPN012736
4 1 4	-				С	B/1000 u	IPN271000
				Steel	Е	B/10000 u	IPN012723
					Α	5 B/50 u	HOPR2705
		Red			F	B/1000 u	IPCR012720
				Metalic colour	A	5 C/50 u.	IPR2705
		Pink			Α	5 B/50 u	HOPINK2705
					F	B/1000 u	IPCP012720
		Assorted		Steel	Α	5 B/50 u	HOPSURT05
		Green			A	5 B/50 u	HOPG2705
					F	B/1000 u	IPCG012720
				Metalic colour	Α	5 C/50 u.	IPG2705

Length	Νº	Finish	Application	Description	Packaging	Unit of sale	Reference
27 mm	0.7			Steel	Α	5 B/50 u	HOPLI2705
0 3	70	Purple		Sieei	F	B/1000 u	IPCL012720
0	2			Metalic colour	Α	5 C/50 u.	IPLI2705
34 mm	1				D	B/144 u	IPN103436
1_ 34 mm	- 7			Steel			
•	-	Nickeled		1 gross			
0	N 2)						
38 mm	2				D	B/144 u	IPN203836
1. 38 mm	- 7			Steel			
4 5011111		Nickeled		1 gross			
Q							
45 mm	3				D	B/144 u	IPN304536
45 mm	3			Steel		2,1114	11 1100 1000
45 mm	_	Nickeled		1 gross			
Q	VO)			. g. 555			
50					D	B/72 u	IPN405036
50 mm	4				D	D/12 U	IPN405036
4 50 mm	-	Nickeled		Steel 1/2 gross			
Q	\sim			1/2 gross			
-							
57 mm	5				D	B/72 u	IPN505736
57 mm	-1	Nickeled		Steel 1/2 gross			
0	W.						
78 mm	8				D	B/72 u	IPN807836
78 mm		Nickeled		Steel			
0	Sol	Nickeleu		1/2 gross			
~							
27-34-38mm	0-1-2				D	B/144 u	IPNS01236
27 - 34 - 38 mm	o ey	Nickeled		Steel			
27 - 34 - 38 mm	PO.	Mickelea		1 gross			
2	2						
27-34-38-45 mm	0-1-2-3				D	B/144 u	IPNS012336
1 27-34-38-45 m				Steel			
0	250	Nickeled		1 gross assorted (36u of each size)			
4				(300 OF EACH SIZE)			
34-38-45 mm	1-2-3				D	B/144 u	IPNS12336
1_ 34-38-45 mn				Steel			
31.30 45 1111	-	Nickeled		1 gross assorted			
Q	XD)			(48u of each size)			


Packaging of Safety pins



Safety pins - Special use)					_
Length Nº	Finish	Application	Description	Packaging	Unit of sale	Reference
19 mm 3/0	Brassed			Α	5 B/50 u	ISD031905
10 mm	Nickeled	Bracelets	Steel Safety pin without	Α	5 B/50 u	ISN031905
19 mm		Bracelets	loop			
23 mm 2/0	Brassed			Α	5 B/50 u	ISD022305
23 mm	Nickeled	Bracelets	Steel Safety pin without	Α	5 B/50 u	ISN022305
		Diacelets	loop			
23 mm 2/0	Brassed			D	B/1000 u	IBD2320
23 mm	Nickeled	Labatha a datha a	Brass Pear	D	B/1000 u	IBN2320
	Black	Labeling clothes	shaped safety pin	D	B/1000 u	IBB2320
					D/50	
27 mm 0	Brassed		Steel	Α	5 B/50 u	ISD012705
27 mm	Nickeled	Bracelets	Safety pin without	Α	5 B/50 u	ISN012705
			loop			
34 mm 1	Brassed			Α	5 B/50 u	ISD103405
1- 34 mm	Nickeled	Decelete	Steel	Α	5 B/50 u	ISN103405
		Bracelets	Safety pin without loop			
38 mm				Α	5 B/10 u	IMBEB3805
00 11111	White			В	B/1000 u	IMBEB3820
1 38 mm 1			Stainless steel	A	5 B/10 u	IMBER3805
	Pink	Baby	Nappy pins	В	B/1000 u	IMBER3820
0			1171	A	5 B/10 u	IMBEC3805
	Blue			В	B/1000 u	IMBEC3820
40 mm				A	5 B/40 u	IPNCURB05
503			Steel		0 = / 10 =	II NOONBOO
40 mm	Nickeled	Patchwork Quilting	Curved safety pin			
50 mm				С	B/100 u	IMPLAUNDRY
50 mm _ 1					D/ 100 u	IMPLAUNDIN
0	Nickeled	Laundry Gym	Steel			
51 mm	Old gold				B/100 u	IFOV517
- 51 mm	Nickeled		Steel		B/100 u	IFN517
0000000			7 rings			
52 mm				Α	5 B/15 u	IPNCUR5205
1 52 mm 21			Steel	,,		11100110200
0 0	Nickeled	Patchwork Quilting	Curved safety pin			
55 mm				Α	5 B/5 u	IMBEB05
	White		Stainless steel	В	B/1000 u	IMPBEB20
		Baby	Nappy pins	Α	5 B/5 u	IMBER05
55 mm	Pink			В	B/1000 u	IMPBER20
				A	5 B/5 u	IMBEC05
	Blue		Stainless steel	В	B/1000 u	IMPBLU20
		Baby	Nappy pins	A	5 B/5 u	IMBEA05
	Yellow			В	B/1000 u	IMPBL20

Length	Nº	Finish	Application	Description	Packaging	Unit of sale	Reference
57 mm	5	Brassed			A	5 B/20 u	ISD505705
■ 57 mm		Nickeled	Bracelets	Steel Safety pin without	Α	5 B/20 u	ISN505705
	20)		Diacelets	loop			
63 mm						B/100 u	IFASN6310
00000000	9	Nickeled		Steel 10 rings			
64 mm	1	Nickeled			С	B/144 u	IFN106436
64 mm		Brassed		Steel	С	B/144 u	IFD106436
Q	2						
76 mm	2	Nickeled			С	B/144 u	IFN207636
76 mm		Brassed		Steel	С	B/144 u	IFD207636
0		Old gold		Steel		B/100 u	IFOV2076
Set to make a bra			pins				
Made a bracelet with	safety p	ins					
Length	Nº	Finish	Application	Description	Packaging	Unit of sale	Reference
27 mm	0				E	1 set	KITNIQ01B
4664444		Nickeled		Steel			

Packaging of Safety pins



Thimbles									
	Diameter	Nº	Finish	Description		Packaging	Unit of sale	Reference	
	18 mm	3/0		Brass		Α	B/12 u	DIL021960	
	17 mm	2/0		Brass		Α	B/12 u	DIL011860	
	16 mm	0	Nickeled	Brass		Α	B/12 u	DIL101760	
	15 mm	1		Brass		Α	B/12 u	DIL201660	
	14,2 mm	2		Brass		Α	B/12 u	DIL301560	
	13,6 mm	3		Brass		Α	B/12 u	DIL401460	
	Assorted	3/0-2/0-0-1-2-3		Brass	12 u per nº	В	B/12 u	DILUX72U	
	18 mm	3/0		Nickel silver		Α	B/12 u	DIAL031860	
	17 mm	2/0		Nickel silver		Α	B/12 u	DIAL021760	
	16 mm	0		Nickel silver		Α	B/12 u	DIAL001660	
	15 mm	1	Self Colour	Nickel silver		Α	B/12 u	DIAL101560	
	14,2 mm	2		Nickel silver		Α	B/12 u	DIAL201460	
	13,6 mm	3		Nickel silver		Α	B/12 u	DIAL301360	
	Assorted	3/0-2/0-0-1-2-3		Nickel silver	12 u per nº	В	B/72 u	DIALPLUX72	



Packaging of Thimbles



Sewing machine n	eedle	es					
	Nº	Finish	Description		Packaging	Unit of sale	Reference
	60				Α	20 B/5 u	AGB605
	70				Α	20 B/5 u	AGB705
	80				Α	20 B/5 u	AGB8005
	90		Dogular		A	20 B/5 u	AGB905
	100		Regular		A	20 B/5 u	AGB1005
	110				Α	20 B/5 u	AGB1105
	S				Α	20 B/5 u	AGBS1
	S			Flat shank	Α	20 B/5 u	AGBS2
	90	Nickel	Jeans		Α	20 B/5 u	AGBJ905
	100				Α	20 B/5 u	AGBJ100
	110				Α	20 B/5 u	AGBJ110
	75		Stretch		Α	20 B/5 u	AGBS7505
-	90		Stretch		Α	20 B/5 u	AGBS9005
	75		Quilting		Α	20 B/5 u	AGBQ7505
	90		Quilting		Α	20 B/5 u	AGBQ9005
	75		Embroidony		Α	20 B/5 u	AGBE7505
	90		Embroidery		Α	20 B/5 u	AGBE9005
	70				Α	20 B/5 u	AGBFG7005
(F)	80		Ball point		Α	20 B/5 u	AGBFG8005
V	90				Α	20 B/5 u	AGBFG9005
V	80				В	10 B/10 u	AGBR810
	90		Light Industrial use	Round Shank	В	10 B/10 u	AGBR910
Image of round bead needle	100		Light Industrial use	Round Shafik	В	10 B/10 u	AGBR10
	110				В	₁₀ B/10 u	AGBR11





A flat shank needle

Packaging of Sewing machine needles





Pins Art®

Is a decorative art technique that uses a combination of our unique Color Dome® pins and sequins, transform any plain drawing into a work of art.



We currently have 12 collections, each collection has a series of 10 pictures to create.


Ask us for a catalogue



Set contents









Travel around the World and Barcelona collections

Step by step



Visit the web site pinsart.com to see all the available sets, events and tutorials.

Sequins	6 mm Cu	pp	ed				
As used with	n our Pins Ar	t® ra	nge, ideal for crafts using S	tyrofoam.			
	Diameter	Nº	Colour	Description	Packaging	Unit of sale	Reference
	6 mm	00	Assorted		Α	5 B/1000 u	LENSURT05
Back a		01	Black	Metallic	Α	5 B/1000 u	LEN60105
		07	Blue (light)	Metallic	Α	5 B/1000 u	LEN60705
- 13		13	Blue (light)	Regular	Α	5 B/1000 u	LEN61305
		071	Blue (dark)	Metallic	Α	5 B/1000 u	LEN607105
A 2 1/2	W(0)	06	Blue (dark)	Regular	Α	5 B/1000 u	LEN60605
		80	Brown 👩	Metallic	Α	5 B/1000 u	LEN60805
	SYLV	23	Brown (light)	Translucent	Α	5 B/1000 u	LEN62305
		22	Brown (dark)	Translucent	Α	5 B/1000 u	LEN62205
CC C		11	Creme	Metallic	Α	5 B/1000 u	LEN61105
A.S.	Will be	12	Fuchsia	Metallic	Α	5 B/1000 u	LEN61205
WET.	No the	15	Fuchsia	Regular	Α	5 B/1000 u	LEN61505
		09	Gold	Metallic	Α	5 B/1000 u	LEN60905
		10	Green	Metallic	Α	5 B/1000 u	LEN61005
		24	Green	Translucent	Α	5 B/1000 u	LEN62405
1		101	Green (light)	Metallic	Α	5 B/1000 u	LEN610105
	11 - 11 -	20	Green leaf	Regular	Α	5 B/1000 u	LEN62005
	THE REAL PROPERTY.	17	Green apple 0	Regular	Α	5 B/1000 u	LEN61705
3(0)	Chorte	25	Mustard	Regular	Α	5 B/1000 u	LEN62505
1	ne n	19	Orange	Metallic	Α	5 B/1000 u	LEN61905
		14	Pink	Regular	Α	5 B/1000 u	LEN61405
-	and the	16	Pistachio	Regular	Α	5 B/1000 u	LEN61605
		05	Purple	Metallic	Α	5 B/1000 u	LEN60505
		04	Red	Metallic	Α	5 B/1000 u	
1. 1 de	more than	21	Red/Orange	Regular	Α	5 B/1000 u	
u V		03	Silver	Metallic	Α	5 B/1000 u	
- 1		02	White	Metallic	Α	5 B/1000 u	
#(7) E 3		18	Yellow	Metallic	Α	₅ B/1000 u	



Packaging of Sequins



Coloured wire									
Ideal for crafts	s, jewelry, deco	oration							
Length	Diameter	Colour	Description		Packaging	Unit of sale	Reference		
5 m	2,00 mm	Silver			Α	5 rolls	HAPLATA05		
5 m	2,00 mm	Gold			Α	5 rolls	HAORO05		
5 m	2,00 mm	Copper			Α	5 rolls	HACOBRE05		
5 m	2,00 mm	Black			Α	5 rolls	HANEGRO05		
5 m	2,00 mm	Blue			Α	5 rolls	HAAZUL05		
5 m	2,00 mm	Fuchsia O	Aluminium wire		Α	5 rolls	HAFUCSIA05		
5 m	2,00 mm	Purple	Aluminum wife		Α	5 rolls	HALILA05		
5 m	2,00 mm	Orange			Α	5 rolls	HANARAN05		
5 m	2,00 mm	Pistachio			Α	5 rolls	HAPISTI05		
5 m	2,00 mm	Red		A	Α	5 rolls	HAROJO05		
5 m	2,00 mm	Pink			Α	5 rolls	HAROSA05		
5 m	2,00 mm	Green			Α	5 rolls	HAVERDE05		
25 m	0,30 mm	Silver			В	10 bobbin	HLPLATA10		
25 m	0,30 mm	Gold			В	10 bobbin	HLORO10		
25 m	0,30 mm	Copper			В	10 bobbin	HLCOBRE10		
25 m	0,30 mm	Black	Copper wire		В	10 bobbin	HLNEGRO10		
25 m	0,30 mm	Blue			В	10 bobbin	HLAZUL10		
25 m	0,30 mm	Red			В	10 bobbin	HLROJO10		
25 m	0,30 mm	Green			В	10 bobbin	HLVERDE10		
Set fig	Set figures with wire and beads				Packaging	Unit of sale	Reference		
	Terrestrial insect				С	5 sets	KITFIL01		
	Flying insect				С	5 sets	KITFIL02		
	Reptile		Design figures with		С	5 sets	KITFIL03		
	Dolls		wire and beads		С	5 sets	KITFIL04		
	Christmas figur	es			С	5 sets	KITFIL05		
	Footballers				С	5 sets	KITFIL06		













Packaging of coloured wire












C

Wiggle ey	Wiggle eyes									
Ideal for crafts										
Length	Diameter		Colour	Description		Packaging	Unit of sale	Reference		
	6 mm		Assorted			Α	5 B/40 u	ULL06305		
	10 mm		Black			Α	5 B/20 u	ULL10105		
	10 mm		Assorted			Α	5 B/20 u	ULL10305		
7 mm	5 mm		Black	Oval		Α	5 B/100 u	ULL75305		
	18 mm		Black			Α	5 B/10 u	ULL1805		
	24 mm		Black			Α	5 B/6 u	ULL2405		
	35 mm		Black			Α	5 B/4 u	ULL3505		
20 mm	15 mm		Black	Oval		Α	5 B/6 u	ULL201505		




Packaging of wiggle eyes









We currently have 3 counter display stands.

You can customize the contents to suit a range of retail outlets, please contact us for information.

Contents: 12 references (5 boxes per reference), total 60 boxes.

Dimensions: 24x25x45 cm (with header 24x25x60cm)






Special productions

If you are looking for a specific pin and cannot find it in our catalogue please contact us, perhaps we have added such a pin to our range since printing this catalogue--if not, we would consider making it for you.

With certain restrictions such as the material we can make pins with a minimum length of 8 mm and maximum of 52 mm, with diameters of 0.40 mm through to 1.20 mm.

Ideally send us a drawing of the pin in question detailing any critical considerations such as material, finish, tolerances in dimensions, perhaps you are not at that stage yet or unsure of something --no problem as we have lots of experience and would be pleased to help in any way we can.



Special finish


Old gold Old copper Colours Nickel free

If you are interested in one of our products but would prefer it in another finish please contact us for details, we can currently offer a range of alternative finishes including Old Gold, Old Copper, Nickel free and various colours.

info@folch.com



Please visit our website www.folch.com where you will find lots more information about products, catalogues, images of our products and the latest news from Folch.



<u>History</u>


Pin making History XIX



Prior to the invention of automated machinery all pins were made by hand; this was obviously very labour intensive with one factory worker performing all the necessary operations to create each and every pin.

In the 1600s the UK pin maker John Tilsley realised that if pin making could be split into a series of tasks allowing each worker to concentrate on just one element of pin making then pins could be made in greater quantities and at reduced cost.

The development of the pin industry was very often quoted as a milestone in industrial progress. At the dawn of the Industrial Revolution in the eighteenth century, noted economist Adam Smith employed the imagery of a pin factory as the perfect example of the intricate division of labor. In his book, *Wealth of Nations*, in 1776, Smith described how one worker drew out the wire, another straightened it, a third cut the wire, the fourth sharpened one end, and another worker ground the opposite end for the attachment of the head. At the end of the process, the pins were polished and inserted into paper packets. These early pin factories produced just under 5,000 pins per day.



The patents for the first automated pin making machines were granted in the early 1800s. In 1824 Lemuel W Wright, an American from Massachusetts, patented a solid headed pins makingmachine, patent number 4955, the first solid headed pin was sold in London 1833.

John Ireland Howe, USA in 1832 being another of the earliest examples, these machines greatly improved the quality of the finished pin.

So 1824 could be considered to be the beginning of the present pin Making industry.

There were many types of pin machines which make anywhere from ninety to three hundred pins a minute, depending on the material being used, the length of the pin and the course the quality of the pin being made

Pin making History XX





In 1924 the first pin machines running in Montbrió del Camp, Spain were producing 100 pins per minute, our current machines are able to produce 600 pins per minute.



Our early days Pin maker team



To compliment our brass and stainless steel shirt pin sales we developed the crossover shirt clip and in January 1990, the flat cross over clip, invented by Jordi Folch, was patented. These are now available in brass and stainless steel.




Pedro Folch Torne Founded the pin factory in Montbrió del Camp in 1924, one hundred years after of the first pin making machine patent.



Our Pin making 1930

The first pins were made of brass and mild steel, in the 1970's we developed our heat treatment programme to produce hard steel pins for dressmakers. Since 1980 we have been making high grade (304) stainless steel pins.



Octagonal plastic box designed by Jordi Folch 1998

Pin making History XXI



Jordi Folch designed the latest pin making machine in 2000 an we are going to commissioned a new one during 2014.



In 2007 the Engineering team developed our Dipped Head pin machine.



Jordi Folch Martí
Started work in the factory in
1951 and still today his
engineering skills , hard work
and constant drive for perfection
is guiding the company to the
forefront of the worlds
pinmakers in the XXI Century.



Color Dome pins® 2009 Developed by Josep M Folch



Pins art® 2011 Invented by Josep M Folch



Sagrada Familia Gaudi Barcelona 2014 Natural range Pins art®

Here at Folch we are very proud that we have been making quality pins in Spain since 1924 and equally proud of our major role in the development of the *humble pin* so that today we can offer you a wide range of pins that are suitable for a large number of different trades, crafts and hobbies such as Clothing Manufacturers, Home Dressmakers, Lace Makers, Model makers, Entomologists, Arts and crafts and creative toys.

We are confident that we have a pin for you, we are proud of our European heritage and our company aim is to continue as quality pin manufacturer for the benefit of future generations.

New challenges are coming and we would welcome the opportunity to share with you our next creations, inventions and dreams.







Each pin has a purpose in life, let us guide you to find the right pin

Metalúrgica Folch, S.L.

Av. Sant Jordi, 6 43340 Montrbió del Camp (Tarragona) SPAIN

Tel. (+34) 977 826196 / Fax. (+34) 977 826489

info@folch.com / WEB: folch.com



Folch The Pin Maker Folch The Pin Maker